



COMPATIBLE POST CURING UNITS WITH WHIP MIX VeriRESIN 3D PRINT MATERIAL

Validation in process		VERILUX & CURIE	G171 / OTOFLASH	INTELLIRAY 600W	SUNRAY 400W	CUREBOX PLUS	FABCURE 2	CURIE PLUS
	VeriMODEL Ortho WHITE*	T = 5 P = 16 D = 10 B = ON	2 x 2000 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	15 min @ 60°C	15 min (No heat control)	T = 5 P = 12 D = 100% B = ON
VeriMODEL All-Purpose*	IVORY 	T = 5 P = 16 D = 10 B = ON	2 x 2000 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	15 min @ 60°C	15 min (No heat control)	T = 5 P = 12 D = 100% B = ON
	GOLDEN BROWN 							
	GREY 							
	VeriGUIDE **	T = 10 P = 16 D = 10 B = ON	6,000 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	30 min @ 60°C	15 min at 60°C	T = 10 P = 12 D = 100% B = ON
	VeriSPLINT ***	T = 10 P = 16 D = 10 B = ON	6,000 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	30 min at 60°C	15 min at 60°C	T = 10 P = 12 D = 100% B = ON
	VeriCAST *	T = 10 P = 16 D = 10 B = ON	2 x 2000 flashes	5 min at the lowest setting of the rack	5 min at the lowest setting of the rack	15 min at 60°C	15 min (No heat control)	T = 10 P = 16 D = 100% B = ON
	VeriTRAY**	T = 10 P = 16 D = 10 B = ON	6,000 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	30 min at 60°C	15 min at 60°C	T = 10 P = 12 D = 100% B = ON
	VeriGUM*	T = 2 P = 16 D = 10 B = On	2,000 flashes	2 min at the lowest setting of the rack	2 min at the lowest setting of the rack	15 min at 60°C	15 min (No heat control)	T = 2 P = 12 D = 100% B = On
	VeriDENT Try-In**	T = 10 P = 16 D = 10 B = On	9,999 flashes	5 min at the lowest setting of the rack; flipping halfway	5 min at the lowest setting of the rack; flipping halfway	15 min at 80°C	45 min at 60°C	T = 10 P = 12 D = 100% B = On

T = Time • P = Power • D = Duty Cycle • B = Bottom Light

*Available globally / ** Available in U.S., Canada, and Latin America only / *** Available in U.S. and Canada only.